


# Product Specification

*T4.* 0-CGG

**Trail Camera**

## Product Presentation

### 1. Appearance



No	Item
1	4G Antenna Interface
2	IR LED
3	PIR Fresnel Lens
4	Lens
5	Device Status Indicator Light
6	SIM Card Slot
7	Screen
8	MENU Button
9	ON/SETUP/OFF
10	UP/Down/Left/Right/OK
11	SD Card Slot
12	Type-C Port
13	DC IN Port
14	Battery Compartment
15	Mounting Bracket Interface

## 2. Accessories

No	Item
1	Trail camera 1pcs
2	Instruction manual 1pcs
3	USB cable 1pcs
4	Mounting strap 1pcs
5	4G Antenna 1pcs

### 3. Specifications

Image Sensor		
No	Item	Specification
1	Sensor	5 Megapixels CMOS
2	Aspect Ratio	4:3
Lens		
No	Item	Specification
1	DFOV	60° or 100°
2	F No.	F2.0 or F2.4
Wireless Mode		
No	Item	Specification
1	4G Module	LTE Cat1; European/American Version;
2	GPS	Support
3	Bluetooth	N/A
4	WiFi	N/A
5	NFC	N/A
Screen		
No	Item	Specification
1	LCD	2.0" TFT
2	Resolution	320x240
Day and Night Detection		
No	Item	Specification
1	Day Mode	Color
2	Night Mode	Black-and-White
Photo		
No	Item	Specification
1	Photo Size_SD Card	5M-2560x1920 8M-3264x2448 12M-4032x3024 24M-5632x4224 32M-6528x4896
2	Photo Size_Send	Small-1280x960 Bigger-1984x1488 HD- 5M~32M
3	Multi-shot	1P/2P/3P/4P/5P
4	File Format	.JPG
Video		
No	Item	Specification
1	Video Size_SD Card	WVGA-848x480 HD-1280x720 FHD- 1920x1080

2	Video Size_Send	WVGA-848×480 HD-1280×720 FHD-1920×1080
3	File Format	.MP4
4	Encoding	H.265
<b>FW Update</b>		
<b>No</b>	<b>Item</b>	<b>Specification</b>
1	SD Card Update	Support
2	OTA Update	N/A
<b>Memory</b>		
<b>No</b>	<b>Item</b>	<b>Specification</b>
1	Local Storage	SD Card; 8GB~32GB // 128GB Max
<b>Ambient</b>		
<b>No</b>	<b>Item</b>	<b>Specification</b>
1	PIR	PIR Sensor: Digital PIR
2		PIR Sensitivity: L1 to L9
3		Range: Maximum support of 20m
4		Direction: 60°
5		Trigger Time: Approximately 400-500ms
6	Light Sensor	Support
7	Temperature	Support
8	Microphone	Support
9	Speaker	N/A
<b>Interface</b>		
<b>No</b>	<b>Item</b>	<b>Specification</b>
1	SD Card	Standard SD card slot
2	SIM Card	Standard SIM card slot
3	USB	Standard Type-C interface
4	DC Port	4.4mm × 1.6mm DC interface
<b>Transmission Mode</b>		
<b>No</b>	<b>Item</b>	<b>Specification</b>
1	TCP	N/A
2	HTTP(s)	N/A
3	MQTT	N/A
4	RTSP	N/A
5	SMTP	Support
6	FTP	Support
7	FTPS	Support
<b>Power Supply</b>		
<b>No</b>	<b>Item</b>	<b>Specification</b>
1	DC Supply	DC 12V-2A Adapter
2	Battery Supply	12pcs; AA Battery

<b>Operating Keys</b>		
<b>No</b>	<b>Item</b>	<b>Specification</b>
1	Switch	1pcs; ON/SETUP/OFF
2	Key	6pcs; MENU/UP/DOWN/LEFT/RIGHT/OK
<b>LED</b>		
<b>No</b>	<b>Item</b>	<b>Specification</b>
1	Light	1pcs; Status: Red Colored LED
2	IR LED	59pcs;
<b>Common</b>		
<b>No</b>	<b>Item</b>	<b>Specification</b>
1	Camera Dimensions	With 4G antenna: 339mm × 116mm × 72mm Without 4G antenna: 152mm × 116mm × 72mm
2	Camera Weight	With 4G antenna: 403g Without 4G antenna: 363g
5	Product Box Dimensions	202mmx122mmx92mm
6	Product Box Gross Weight	650g
7	Outer Carton Dimensions	50.8cmx41.5cmx21.5cm
8	Outer Carton Gross Weight	11.5kg
<b>Environment</b>		
<b>No</b>	<b>Item</b>	<b>Specification</b>
1	Operating Temperature	-20°C ~ 55°C
2	Storage temperature	-25°C ~ 60°C
3	Operation Humidity	5%-90%
4	Storage Humidity	40%-60%
5	Waterproof spec	IP66
<b>Certification</b>		
<b>No</b>	<b>Item</b>	<b>Specification</b>
1	Certification	CE、FCC、RoHS、IP66